

EX PARTE OR LATE FILED

Kathleen B. Levitz
Vice President-Federal Regulatory

March 2, 1999

RECEIVED

Ms. Magalie Roman Salas
Secretary
Federal Communications Commission
The Portals
445 12th St. S.W.
Washington, D.C. 20554

MAR - 2 1999

FEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

Re: Written Ex Parte in CC Docket No. 98-56 and
CC Docket No. 98-121

Dear Ms. Salas:

This is to inform you that on March 1, 1999 BellSouth Corporation made a written ex parte to Dr. Daniel Shiman of the Common Carrier Bureau's Policy and Program Planning Division. That ex parte consists of a copy of those parts of BellSouth's February 25, 1999 filing in the Louisiana Public Service Commission's Docket No. U-22252-Subdocket C that present the results of BellSouth's continuing effort to develop a reasonable statistical methodology for determining whether BellSouth is meeting its obligation to provide nondiscriminatory access to unbundled network elements. This information has been submitted in response to Dr. Shiman's request.

Pursuant to Section 1.1206(a)(1) of the Commission's rules, I am filing two copies of this notice and that written ex parte presentation in both the dockets identified above. Please associate this notification with the record in both those proceedings.

Sincerely,

Kathleen B. Levitz
Vice President-Federal Regulatory

Attachment

cc: Daniel Shiman (w/o attachment)
Florence Setzer (w/o attachment)
Alex Belinfante (w/o attachment)
Jake Jennings (w/o attachment)
Andre Rausch (w/o attachment)
Whitey Thayer (w/o attachment)

No. of Copies rec'd 0+3
LSD ADG/BL


OSS Response Interval

December 1998

Open Source Software Response Interval
Version 1.0 - December 1998

OSS Response Interval

Mean Differences by Month - Overall Series



December 1998

OSS Response Interval Web Report

This table displays BellSouth and CLEC information as downloaded from the December monthly web report,
<https://clec.bellsouth.com>

SYSTEM	BST (RNS)				CLEC (LENS)			
	< 2.3 SECONDS	> 6 SECONDS	AVERAGE SECONDS	# OF CALLS	< 2.3 SECONDS	> 6 SECONDS	AVERAGE SECONDS	# OF CALLS
RSAG								
BY TN	97.04%	1.21%	1.10	132351	97.92%	0.41%	0.88	76739
BY ADDR	92.12%	2.20%	2.09	226167	92.60%	1.08%	1.27	113261
ATLAS	97.62%	1.24%	0.67	153195	97.87%	0.27%	0.83	36318
DSAP	98.69%	0.67%	0.44	259273	99.47%	0.26%	0.39	49782
CRSACCTS ¹	95.27%	1.42%	1.55	665664				
OASISNET ³								
OASISBSN ²	98.26%	0.56%	0.66	855375				
OASISCAR ²	96.81%	0.49%	0.87	408897				
OASISLPC ²	97.85%	0.51%	0.86	150745				
OASISMTN ²	98.73%	0.48%	0.74	264830				
OASISOCP ³								
OASISBIG ²	3.34%	24.43%	5.28	713391				
HAL/CRIS ²					5.14%	30.51%	6.08	646481
COFI/USOC ²					99.51%	0.14%	0.42	15510
PSIMS/ORB ²					56.47%	11.28%	2.53	42039

Note 1: CSR data is retrieved via the CRSACCTS contract in RNS and the HAL/CRIS contract in LENS. The HAL/CRIS response time shown above includes processing time for filtering and formatting CSR data which is not included in the CRSACCTS contract. RNS time reflects the handling of residence orders only, while LENS time reflects the handling of both residence and more complex business orders.

Note 2: Service/feature availability is retrieved via a series of OASIS contracts in RNS and via calls to COFFI and P/SIMS in LENS.

Note 3: OASIS contract in RNS replaced by OASISBIG.

December 1998

OSS Response Interval Web Report Verification

This section reports whether there are any inconsistencies between the data reported on the web and calculations done during our processing.
Excludes all non-like-to-like systems.

Verify CLEC Web Report Values

Matched	Did Not Match
16	0

Verify BST Web Report Values

Matched	Did Not Match
16	0

CLEC Inconsistencies					BST Inconsistencies				
<u>System</u>	Average Seconds		# of Calls		<u>System</u>	Average Seconds		# of Calls	
	<u>Web Report</u>	<u>Raw Data</u>	<u>Web Report</u>	<u>Raw Data</u>		<u>Web Report</u>	<u>Raw Data</u>	<u>Web Report</u>	<u>Raw Data</u>

Explanation (as needed)

December 1998

OSS Response Interval Filtering Information


This table displays information about the size of the database files and the cases that were removed from the analysis.

DB1	
Unfiltered Total	212
Uncomparable System Records Removed	
CRSACCTS	23
OASISBSN	23
OASISCAR	20
OASISLPC	20
OASISMTN	20
OASISBIG	20
Weekend Records Removed	0
FILTERED TOTAL	86

DB2	
Unfiltered Total	214
Uncomparable System Records Removed	
HAL/CRIS	31
COFI/USOC	29
PSIMS/ORB	30
Weekend Records Removed	32
FILTERED TOTAL	92

December 1998

OSS Response Interval -- Descriptive Page




Service Provider	Mean
BST	0.6695
CLEC	0.8303
Difference	-0.1608

Service Provider	Mean
BST	0.4403
CLEC	0.3987
Difference	0.0416

Note: Sums of squares were unavailable for the Response Interval, thus a standard deviation could not be calculated for these measures.

December 1998

OSS Response Interval -- Descriptive Page




Service Provider	Mean
BST	2.0860
CLEC	1.2742
Difference	0.8118

Service Provider	Mean
BST	1.0995
CLEC	0.8857
Difference	0.2138

Note: Sums of squares were unavailable for the Response Interval, thus a standard deviation could not be calculated for these measures.

December 1998

OSS Response Interval -- Decision Page




Mean	Standard Error	Test Statistic	df	P-value (percent)
-5.06	2.55	-1.98	22	3.01

Mean	Standard Error	Test Statistic	df	P-value (percent)
4.78	3.18	1.50	22	7.38

Note: On weekdays for which CLEC observations existed, but BST observations did not, the BST observations were handled as missing values and values were imputed.

December 1998

OSS Response Interval -- Decision Page




Mean	Standard Error	Test Statistic	df	P-value (percent)
43.34	6.50	6.66	22	0.00

Mean	Standard Error	Test Statistic	df	P-value (percent)
10.90	5.10	2.14	22	2.21


Note: On weekdays for which CLEC observations existed, but BST observations did not, the BST observations were handled as missing values and values were imputed.

**July 1998 - January 1999
OSS Response Interval -- Document Page**


Average OSS Response Interval Differences - ATLAS System




Average OSS Interval Differences - RSAGADDR System



Average OSS Interval Differences - DSAP System



Average OSS Interval Differences - RSAGTEL System



July - December 1998

OSS Response Interval -- Document Page


Time Series Analysis Results

System	Result	Parameters	Estimated White Noise Variance
ATLAS	AR(1) model	$\phi_1=.168682$	1504955000
DSAP	AR(3) model	$\phi_1=.075329$ $\phi_2=-.086617$ $\phi_3=-.256442$	353610000
RSAGADDR	AR(3) model	$\phi_1=.173137$ $\phi_2=-.049263$ $\phi_3=.173076$	518551000
RSAGTEL	white noise	-	599188000

The residuals of each series were tested under the Ljung-Box and McLeod-Li portmanteau tests of independence. These tests of independence assume independent data under the null hypothesis and are approximately chi-squared with twenty degrees of freedom.

System	Ljung-Box test statistic	P-value (percent)	McLeod-Li test statistic	P-value (percent)
ATLAS	37.0630	1.1500	17.3750	62.8506
DSAP	23.1860	27.9754	18.2660	56.9890
RSAGADDR	15.5880	74.1833	15.5860	74.1953
RSAGTEL	12.8280	88.4641	2.6927	99.9998

July 1998 - January 1999 OSS Response Interval -- Document Page



December 1998

OSS Response Interval Imputed and Removed Values

Weekdays for which no BST value was reported, an adjusted difference was imputed for the purposes of time series analysis, thus handling the observation as if it were missing data. As a result of low volume of calls, all CLEC weekend values were removed.

CLEC Values Imputed (weekdays)			
Date	System	# calls	Average Seconds
12/18/98	DSAP	2262	0.46
12/18/98	RSAGTEL	3567	0.79
12/22/98	DSAP	2615	1.13
12/22/98	RSAGTEL	3348	1.31
12/24/98	DSAP	821	0.18
12/24/98	RSAGTEL	990	0.77

CLEC Values Removed (weekends)			
Date	System	# calls	Average Seconds
12/5/98	ATLAS	291	0.68
12/5/98	DSAPDDI	348	0.19
12/5/98	RSAGADDR	796	0.92
12/5/98	RSAGTEL	609	0.79
12/6/98	ATLAS	26	1.06
12/6/98	DSAPDDI	172	0.16
12/6/98	RSAGADDR	254	1.33
12/6/98	RSAGTEL	232	0.81
12/12/98	ATLAS	231	0.56
12/12/98	DSAPDDI	333	0.17
12/12/98	RSAGADDR	1019	0.79
12/12/98	RSAGTEL	585	0.65
12/13/98	ATLAS	11	1.38
12/13/98	DSAPDDI	111	0.18
12/13/98	RSAGADDR	200	1.41
12/13/98	RSAGTEL	262	0.87
12/19/98	ATLAS	263	0.59
12/19/98	DSAPDDI	323	0.17
12/19/98	RSAGADDR	723	0.97
12/19/98	RSAGTEL	441	0.66

December 1998 - continued

OSS Response Interval Imputed and Removed Values

Weekdays for which no BST value was reported, an adjusted difference was imputed for the purposes of time series analysis, thus handling the observation as if it were missing data. As a result of low volume of calls, all CLEC weekend values were removed.

CLEC Values Imputed (weekdays)			
Date	System	# calls	Average Seconds

CLEC Values Removed (weekends)			
Date	System	# calls	Average Seconds
12/20/98	ATLAS	34	0.92
12/20/98	DSAPDDI	121	0.17
12/20/98	RSAGADDR	152	1.49
12/20/98	RSAGTEL	151	0.94
12/26/98	ATLAS	72	0.70
12/26/98	DSAPDDI	153	0.15
12/26/98	RSAGADDR	298	0.95
12/26/98	RSAGTEL	144	0.61
12/27/98	ATLAS	27	1.11
12/27/98	DSAPDDI	49	0.18
12/27/98	RSAGADDR	138	1.36
12/27/98	RSAGTEL	88	0.95




Maintenance Average Duration

December 1998


Maintenance Average Duration - Non Designed

Mean Differences Adjusted to CLEC by Month




Maintenance Average Duration - Designed

Mean Differences Adjusted to CLEC by Month




Maintenance Average Duration - Non Designed

Jackknife Statistics Adjusted to CLEC by Month



Maintenance Average Duration - Designed

Jackknife Statistics Adjusted to CLEC by Month



December 1998

Maintenance Average Duration Web Report -- Aggregate CLEC

This table displays aggregate CLEC information as published on the December monthly web report, <https://clec.bellsouth.com>.

CLEC - Non-Design	RESIDENCE			BUSINESS			TOTAL			
	Dispatched	Non-Disp.	Total	Dispatched	Non-Disp.	Total	Dispatched	Non-Disp.	Total	
LOUISIANA	Avg. Dur	34.58	10.63	28.17	17.22	6.28	13.96	32.14	9.93	26.09

CLEC - Design

		Dispatched	Non-Disp.	Total
LOUISIANA	Rec to Clr Avg Dur	6.84	1.17	5.53

December 1998

Maintenance Average Duration Web Report -- BellSouth

This table displays BellSouth information as published on the December monthly web report, <https://clec.bellsouth.com>.

BST - Non-Design		RESIDENCE			BUSINESS			TOTAL		
LOUISIANA	Avg. Dur	32.49	14.69	25.03	15.15	6.57	12.84	29.02	13.77	23.01

BST - Design		RESIDENCE			BUSINESS			TOTAL		
LOUISIANA	Rec to Clr Avg Dur	6.04	1.29	4.30						

December 1998

Maintenance Average Duration Web Report Verification

This section reports whether there are any inconsistencies between the data reported on the web and calculations done during our processing.
 Does not include matching the CLEC UNE data.

NON-DESIGNED

CLEC Inconsistencies								BST Inconsistencies							
Desc	Hours		Count		Average Duration		Desc	Hours		Count		Average Duration		Raw	Web
	Raw	Web	Raw	Web	Raw	Web		Raw	Web	Raw	Web	Raw	Web		
							DR	925,835.06	925,835.94	28,498	28,498	32.49	32.49		
							NDR	301,932.00	301,930.59	20,547	20,547	14.69	14.69		

DESIGNED

CLEC Inconsistencies								BST Inconsistencies							
Desc	Hours		Count		Average Duration		Desc	Hours		Count		Average Duration		Raw	Web
	Raw	Web	Raw	Web	Raw	Web		Raw	Web	Raw	Web	Raw	Web		
D	365.02	362.73	54	53	6.76	6.84									

Explanation

Data for the hours were rounded to 2 decimal places. Therefore, differences in total hours may be attributed to the rounding. In the future we will use much higher precision for doing these calculations.

December 1998
Maintenance Average Duration Filtering Information


This table displays information about the size of the database files and the cases that were removed from the analysis.

Database File Size (Cases)	
Unfiltered Total	4,218
Total Removed Prior to Web Reporting (e.g. non resale and non customer direct cases)	2,129
Total Reported on Web Report	2,089
No Matching Classification Removals	2
FILTERED TOTAL	2,087


Database File Size (Cases)	
Unfiltered Total	116,577
Total Removed Prior to Web Reporting (e.g. non retail and non customer direct cases)	57,764
Total Reported on Web Report	58,813
No Matching Classification Removals	15,326
FILTERED TOTAL	43,487

December 1998
Maintenance Average Duration -- Descriptive Page
Non Designed Cases


Filtered



Adjusted to CLEC



Adjusted to BST



Numerical

Service Provider	Mean	Standard Deviation
BST	23.91	25.65
CLEC	26.11	28.55
Difference	-2.20	

Numerical

Service Provider	Mean	Standard Deviation
BST	25.83	26.90
CLEC	26.11	28.55
Difference	-0.29	


Numerical

Service Provider	Mean	Standard Deviation
BST	23.91	25.65
CLEC	23.37	26.97
Difference	0.54	


December 1998
Maintenance Average Duration -- Decision Page
Non Designed Cases

Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-0.47	32.10
POOL	-0.45	32.60
REPL	-0.46	32.62
REPL ADJ	-0.48	31.71
JACK	-0.55	29.38
JACK ADJ	-0.58	28.34

Note that the adjustment factor used is: 1.056513

Decision Portion :	Test Stat	P-Value (%)
	0.62	53.8987

Note that the adjustment factor used is: 1.050651

Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	0.67	25.19
POOL	0.65	25.73
REPL	0.57	28.54
REPL ADJ	0.60	27.57
JACK	0.85	20.22
JACK ADJ	0.89	19.07

Conclusion: The Adjusted LCUG Test Statistic is suitable for comparing BST/CLEC Performance Measures this month.

December 1998
Maintenance Average Duration -- Document Page
Non Designed Cases



Adjusted to CLEC

Numerical	
CLEC Cases	2,087
Adjusted Total BST Cases	2,087

Adjusted to BST

Numerical	
Adjusted Total CLEC Cases	43,487
BST Cases	43,487

Distribution of Natural Log Weights




Summary Statistics	Mean	Standard Deviation	Coefficient of Variation
BST Natural Log Weights	-11.002	0.831	
BST Weights	0.048	0.044	0.9225186


Summary Statistics	Mean	Standard Deviation	Coefficient of Variation
CLEC Natural Log Weights	-7.951	0.776	
CLEC Weights	20.837	21.185	1.015713622

December 1998
Maintenance Average Duration -- Descriptive Page
Non Designed Dispatched Cases


Filtered



Adjusted to CLEC



Adjusted to BST



Numerical

Service Provider	Mean	Standard Deviation
BST	29.63	27.07
CLEC	32.16	29.72
Difference	-2.53	

Numerical

Service Provider	Mean	Standard Deviation
BST	30.94	27.88
CLEC	32.16	29.72
Difference	-1.22	


Numerical

Service Provider	Mean	Standard Deviation
BST	29.63	27.07
CLEC	30.38	28.31
Difference	-0.75	


December 1998
Maintenance Average Duration -- Decision Page
Non Designed Dispatched Cases

Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-1.63	5.16
POOL	-1.58	5.74
REPL	-1.51	7.05
REPL ADJ	-1.61	5.96
JACK	-1.70	4.96
JACK ADJ	-1.81	4.06

Note that the adjustment factor used is:

1.060638


Note that the adjustment factor used is:

1.044298


Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-0.80	21.27
POOL	-0.78	21.80
REPL	-0.74	23.15
REPL ADJ	-0.78	22.18
JACK	-0.89	18.93
JACK ADJ	-0.93	17.90

December 1998
Maintenance Average Duration -- Descriptive Page
Non Designed Non Dispatched Cases


Filtered



Adjusted to CLEC



Adjusted to BST



Numerical		
Service Provider	Mean	Standard Deviation
BST	13.62	18.90
CLEC	9.95	16.55
Difference	3.67	


Numerical		
Service Provider	Mean	Standard Deviation
BST	12.15	17.97
CLEC	9.95	16.55
Difference	2.21	

Numerical		
Service Provider	Mean	Standard Deviation
BST	13.62	18.90
CLEC	10.75	18.63
Difference	2.87	


December 1998
Maintenance Average Duration -- Decision Page
Non Designed Non Dispatched Cases

Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests

Testing Method	Test Statistic	P-value (percent)
LCUG	2.81	0.25
POOL	2.92	0.18
REPL	2.58	0.75
REPL ADJ	2.40	1.16
JACK	2.44	1.05
JACK ADJ	2.26	1.56

Note that the adjustment factor used is:

0.927598

Tests


Testing Method	Test Statistic	P-value (percent)
LCUG	2.43	0.75
POOL	2.45	0.71
REPL	1.23	11.36
REPL ADJ	1.22	11.69
JACK	2.60	0.73
JACK ADJ	2.56	0.80

Note that the adjustment factor used is:


0.985811

December 1998
Maintenance Average Duration -- Descriptive Page
 Non Designed, Dispatched and Residential Cases


Filtered



Adjusted to CLEC



Adjusted to BST




Numerical		
Service Provider	Mean	Standard Deviation
BST	32.00	27.41
CLEC	34.58	30.38
Difference	-2.58	

Numerical		
Service Provider	Mean	Standard Deviation
BST	33.41	28.17
CLEC	34.58	30.38
Difference	-1.18	


Numerical		
Service Provider	Mean	Standard Deviation
BST	32.00	27.41
CLEC	32.78	28.97
Difference	-0.77	

December 1998
Maintenance Average Duration -- Decision Page
Non-Designed, Dispatched and Residential Cases
Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-1.44	7.44
POOL	-1.39	8.25
REPL	-1.31	9.98
REPL ADJ	-1.41	8.50
JACK	-1.41	8.46
JACK ADJ	-1.51	7.08

Note that the adjustment factor used is:

1.071921


Note that the adjustment factor used is:

1.055266


Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-0.74	22.83
POOL	-0.72	23.46
REPL	-0.65	25.94
REPL ADJ	-0.69	24.81
JACK	-0.77	22.44
JACK ADJ	-0.81	21.22

December 1998
Maintenance Average Duration -- Descriptive Page
Non Designed, Dispatched and Business Cases


Filtered



Adjusted to CLEC



Adjusted to BST




Numerical		
Service Provider	Mean	Standard Deviation
BST	15.12	19.37
CLEC	17.30	19.67
Difference	-2.18	

Numerical		
Service Provider	Mean	Standard Deviation
BST	15.82	20.33
CLEC	17.30	19.67
Difference	-1.47	


Numerical		
Service Provider	Mean	Standard Deviation
BST	15.12	19.37
CLEC	15.73	17.89
Difference	-0.62	

December 1998
Maintenance Average Duration -- Decision Page
Non Designed, Dispatched and Business Cases
Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-1.01	15.52
POOL	-1.03	15.13
REPL	-0.82	20.89
REPL ADJ	-0.80	21.58
JACK	-1.22	11.66
JACK ADJ	-1.18	12.35

Note that the adjustment factor used is:

0.970145


Note that the adjustment factor used is:

0.926111


Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-0.36	35.82
POOL	-0.38	35.29
REPL	-0.35	36.38
REPL ADJ	-0.33	37.34
JACK	-0.53	29.90
JACK ADJ	-0.49	31.26

December 1998
Maintenance Average Duration -- Descriptive Page
 Non Designed, Non Dispatched and Residential Cases


Filtered



Adjusted to CLEC



Adjusted to BST



Numerical		
Service Provider	Mean	Standard Deviation
BST	14.23	19.33
CLEC	10.63	17.61
Difference	3.60	


Numerical		
Service Provider	Mean	Standard Deviation
BST	13.43	19.00
CLEC	10.63	17.61
Difference	2.80	

Numerical		
Service Provider	Mean	Standard Deviation
BST	14.23	19.33
CLEC	11.09	19.16
Difference	3.15	


December 1998
Maintenance Average Duration -- Decision Page
Non Designed, Non Dispatched and Residential Cases

Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	3.13	0.09
POOL	3.24	0.06
REPL	3.21	0.16
REPL ADJ	2.99	0.28
JACK	2.85	0.40
JACK ADJ	2.65	0.64

Note that the adjustment factor used is:

0.931196


Note that the adjustment factor used is:

0.991683


Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	2.46	0.69
POOL	2.47	0.67
REPL	1.35	9.38
REPL ADJ	1.34	9.56
JACK	2.70	0.58
JACK ADJ	2.68	0.61

December 1998
Maintenance Average Duration -- Descriptive Page
 Non Designed, Non Dispatched and Business Cases


Filtered



Adjusted to CLEC



Adjusted to BST



Numerical		
Service Provider	Mean	Standard Deviation
BST	5.60	8.69
CLEC	6.33	8.20
Difference	-0.73	


Numerical		
Service Provider	Mean	Standard Deviation
BST	5.39	8.19
CLEC	6.33	8.20
Difference	-0.94	

Numerical		
Service Provider	Mean	Standard Deviation
BST	5.60	8.69
CLEC	6.42	7.90
Difference	-0.82	


December 1998
Maintenance Average Duration -- Decision Page
Non Designed, Non Dispatched and Business Cases

Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-0.99	16.21
POOL	-0.99	16.21
REPL	-0.55	29.31
REPL ADJ	-0.55	29.30
JACK	-0.73	23.79
JACK ADJ	-0.73	23.77

Note that the adjustment factor used is:

1.000502


Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-0.63	26.34
POOL	-0.66	25.39
REPL	-0.50	31.22
REPL ADJ	-0.45	32.73
JACK	-0.69	24.87
JACK ADJ	-0.63	26.75

Note that the adjustment factor used is:


0.913195

December 1998
Maintenance Average Duration -- Descriptive Page
 Non Designed Shreveport Cases


Filtered



Adjusted to CLEC



Adjusted to BST



Numerical		
Service Provider	Mean	Standard Deviation
BST	31.65	30.28
CLEC	34.13	31.48
Difference	-2.48	


Numerical		
Service Provider	Mean	Standard Deviation
BST	34.86	31.63
CLEC	34.13	31.48
Difference	0.73	

Numerical		
Service Provider	Mean	Standard Deviation
BST	31.65	30.28
CLEC	28.77	28.43
Difference	2.88	


December 1998
Maintenance Average Duration -- Decision Page
Non Designed Shreveport Cases

Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	0.58	28.23
POOL	0.58	28.18
REPL	0.55	29.22
REPL ADJ	0.55	29.30
JACK	0.51	30.66
JACK ADJ	0.51	30.73

Note that the adjustment factor used is:

0.995516


Note that the adjustment factor used is:

0.939894


Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	1.55	6.09
POOL	1.60	5.53
REPL	1.45	7.84
REPL ADJ	1.37	9.12
JACK	3.05	0.24
JACK ADJ	2.87	0.38

December 1998
Maintenance Average Duration -- Descriptive Page
Non Designed Lafayette Cases


Filtered



Adjusted to CLEC



Adjusted to BST



Numerical		
Service Provider	Mean	Standard Deviation
BST	21.37	21.37
CLEC	19.46	19.37
Difference	1.91	


Numerical		
Service Provider	Mean	Standard Deviation
BST	20.70	21.21
CLEC	19.46	19.37
Difference	1.24	

Numerical		
Service Provider	Mean	Standard Deviation
BST	21.37	21.37
CLEC	21.54	21.28
Difference	-0.17	


December 1998
Maintenance Average Duration -- Decision Page
Non Designed Lafayette Cases

Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	1.02	15.41
POOL	1.06	14.36
REPL	0.94	17.77
REPL ADJ	0.87	19.73
JACK	1.35	9.42
JACK ADJ	1.24	11.25

Note that the adjustment factor used is:

0.919929


Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-0.11	45.58
POOL	-0.11	45.57
REPL	-0.12	45.30
REPL ADJ	-0.12	45.32
JACK	-0.10	46.18
JACK ADJ	-0.10	46.20

Note that the adjustment factor used is:


0.995773

December 1998
Maintenance Average Duration -- Descriptive Page
Non Designed New Orleans Cases


Filtered



Adjusted to CLEC



Adjusted to BST



Numerical		
Service Provider	Mean	Standard Deviation
BST	17.51	20.41
CLEC	22.50	28.53
Difference	-4.99	


Numerical		
Service Provider	Mean	Standard Deviation
BST	19.40	22.10
CLEC	22.50	28.53
Difference	-3.10	

Numerical		
Service Provider	Mean	Standard Deviation
BST	17.51	20.41
CLEC	19.58	27.38
Difference	-2.07	


December 1998
Maintenance Average Duration -- Decision Page
Non Designed New Orleans Cases

Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-3.54	0.02
POOL	-3.07	0.11
REPL	-2.56	0.80
REPL ADJ	-3.26	0.14
JACK	-3.67	0.05
JACK ADJ	-4.67	0.00

Note that the adjustment factor used is:

1.272670


Note that the adjustment factor used is:

1.334545


Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	-1.97	2.46
POOL	-1.66	4.82
REPL	-1.01	16.01
REPL ADJ	-1.35	9.38
JACK	-1.92	3.22
JACK ADJ	-2.57	0.78

December 1998
Maintenance Average Duration -- Descriptive Page
Non Designed Baton Rouge Cases


Filtered



Adjusted to CLEC



Adjusted to BST



Numerical		
Service Provider	Mean	Standard Deviation
BST	25.79	25.52
CLEC	23.54	25.89
Difference	2.25	


Numerical		
Service Provider	Mean	Standard Deviation
BST	25.70	25.15
CLEC	23.54	25.89
Difference	2.16	

Numerical		
Service Provider	Mean	Standard Deviation
BST	25.79	25.52
CLEC	22.71	25.45
Difference	3.08	


December 1998
Maintenance Average Duration -- Decision Page
Non Designed Baton Rouge Cases

Frequency Distributions of Replicate Estimates

Adjusted to CLEC



Adjusted to BST



Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	1.51	6.58
POOL	1.49	6.86
REPL	0.63	26.88
REPL ADJ	0.64	26.34
JACK	2.05	2.72
JACK ADJ	2.11	2.44

Note that the adjustment factor used is:

1.026659

Tests		
Testing Method	Test Statistic	P-value (percent)
LCUG	1.70	4.48
POOL	1.70	4.45
REPL	0.82	21.10
REPL ADJ	0.82	21.17
JACK	2.52	1.05
JACK ADJ	2.51	1.07

Note that the adjustment factor used is:

0.997035

December 1998

Maintenance Average Duration Weighting Report

		BST
# of Records	2,089	
No Matching BST	2	
Classification (1)		
Subtotal	2,087	
# of Records	58,813	
No Matching CLEC	15,326	
Classification (2)		
Subtotal	43,487	

CLEC Categories with No matching BST (First 10)				
Wire Center	Time	Dispatch	Residential	CLEC Count
JCSNLAMA	1	2	2	1
WLSNLAMA	1	1	2	1

BST Categories with No matching CLEC (First 10)				
Wire Center	Time	Dispatch	Residential	BST Count
MINDLAMA	2	2	1	243
HGTNLAMA	2	2	1	183
LKCHLAUN	2	1	1	179
BTRGLAWN	1	1	1	157
NWORLAMT	1	2	1	155
KTVLLAMA	2	2	1	148
LFYTLAVM	1	2	1	146
HGTNLAMA	1	2	1	144
NWORLASW	2	2	1	132
BTRGLASB	1	1	2	129